



Modular, Touch-Screen
Infant Ventilator

SLE6000


OxyGenie®
Inspired Oxygen Control




SLE

When the smallest thing matters

Ventilate with Confidence



The SLE6000 has been designed to enable you to ventilate the critically ill infant as easily as possible. The ventilator's range of modes, functions and options and our support enable you to meet their unique physiological and developmental needs, for precise specialised treatment.

SLE has focused solely on the design and manufacture of infant ventilators in the UK since the 1980s and supplies them to over ninety countries.

Decades of innovation are incorporated in the SLE6000's specialist lung-protective features which include effective High Frequency Oscillation Ventilation (HFOV) using unique bidirectional jets^[1], Pressure Support Ventilation (PSV), Conventional ventilation and Volume Targeted Ventilation (VTV) and a choice of non-invasive ventilation modes (NIV) and High Flow Oxygen Therapy (HFOT).

The SLE6000 is unique in allowing both dual- or single-limb non-invasive ventilation interface options applied using a nasal mask or nasal prongs. NIV modes all have servo-controlled flow compensation for leaks to ensure consistent ventilation.


The SLE6000 can be fitted with individual combinations of parameters and add-on modules to provide the ideal ventilator for your requirements.

 [Watch the SLE6000 Overview video](#)

SLE6000 shown with OxyGenie active

Choose your own combination of modules...

With the world of ventilation continuously changing, the SLE6000 has been conceived as a modular system – capable of adapting to new respiratory therapies as they emerge.




Standard conventional modes include CPAP, CMV, SIMV, PTV and PSV.
Standard NIV modes include nCPAP and NIPPV.



[Watch the video](#)
 [Go to web page](#)

HFOV: SLE's HFOV is powerful and effective ^[1,2], and includes VTV as standard. This software module allows both invasive and non-invasive (dual-limb) HFOV.




[See the brochure](#)
 [Go to web page](#)

EtCO₂: Adds software that allows the SLE6000 to monitor and display etCO₂. It requires an Oridion MicroPod™ to interface with the SLE6000 and sampling lines



[Go to web page](#)

HFOT: High Flow Oxygen Therapy. Adds the facility to give nasal O₂ therapy with a high-flow nasal cannula and a single-limb circuit.



NIPPV Tr: Adds a Triggered NIPPV mode to the ventilator using a proximal pressure trigger to initiate patient-driven pressure-supported breaths in dual-limb mode.



[See the brochure](#)

IntelliBridge Module: Allows a patient monitor to display ventilator data on-screen. Adds software that allows it to interface with the SLE6000.



[See the brochure](#)
 [Go to web page](#)

OxyGenie®: Continuously controls the FiO₂ to maintain a stable SpO₂ ^[5,7,8,9]. Requires the SpO₂ Software module and software to be installed.



[Watch the video](#)
 [See the brochure](#)
 [Go to web page](#)

SpO₂: Adds software that allows the SLE6000 to monitor and display SpO₂ ^[6]. Uses Masimo SET® technology and sensors.



[Watch the video](#)
 [Go to web page](#)

NIV: Adds the facility to ventilate using nCPAP and DuoPAP with a single-limb circuit using fluidic-flip nCPAP generators to deliver nCPAP and DuoPAP.



[Go to web page](#)

VTV: Adds VTV (Volume Targeted Ventilation) to all of the conventional invasive monitoring modes ^[3].



[Watch the video](#)
 [Go to web page](#)

Lunar Interface: Standard on all SLE6000 ventilators. Designed to be easy-to-learn and easy-to-use and reduce night-time glare and light-spillage.

Easy-to-Learn, Easy-to-use...

Primary Menu Buttons

With its simple menu structure the SLE6000 offers many features, but operation is still very easy to learn and use. Four simple choices give instant access to: Modes, Alarms, Utilities and Layout.

Alarms & Light bar

All messages and alarms in the information bar are easy to see from a distance and are colour-coded based on priority. A 360° light bar further enhances visibility.

Graphics Section

The customisable graphics section allows the user to switch between different screen layouts that can be configured to meet individual requirements.

Main Parameters

Primary ventilation parameters are permanently visible for immediate access and change between modes to show only the required parameters.

SLE6000 shown with OxyGenie active

Measured Values

Large and easy-to-read. Each parameter is clearly labelled, plus the user is easily able to switch between basic and advanced data display at any time.

Compact Design

The SLE6000 ventilator is housed in a single compact box, making it easier to clean and use.

The integrated touch-screen is angled for optimal visibility and easy to read from a distance.

 [Watch the Lunar Interface video](#)




Everything at your fingertips

The SLE6000 sees the introduction of a new Lunar™ interface, which incorporates a low-glare screen (in keeping with the increased emphasis on developmental care) whilst setting a new benchmark in usability. Recent research in developmental care has shown that excessive light is involved in retinal damage, sleep pattern alterations, disturbance of circadian rhythms and poor growth^[4].



*Synchronised Intermittent Mandatory Ventilation, or **SIMV**, is a patient interactive mode of ventilation. It can be used with PSV and/or VTV.*




***HFOV** can be defined as the delivery of small tidal volumes at very high rates and is lung protective. The rates are typically between 10Hz and 15Hz.*



***OxyGenie®** An automatic O_2 control for the SLE6000 ventilator. The SLE6000 continuously adjusts the FiO_2 to maintain a stable SpO_2 ^[9].*



***Loops** A lung mechanics screen shows additional data - in this case two loops. A secondary column of data can be shown when required.*



*The SLE6000 can be used for **non-invasive ventilation** and High Flow Oxygen Therapy when these modules are installed on the ventilator.*



***Trends** Up to 14 days of trends are stored for all parameters. Zoom and scroll to find any parameter's values at a particular time.*

Available in any combination you need...



Versatile HFOV

The SLE6000 is the fourth generation oscillator from SLE. With SLE's unique valveless technology using high-speed bidirectional jets, it ensures an effective and controllable HFOV delivery^[1].

Using a variety of patient interfaces, the SLE6000 is able to deliver High Flow Oxygen Therapy, conventional ventilation, non-invasive ventilation and HFOV (both invasively and non-invasively).

Gas monitoring

The new modular system of the SLE6000 allows it to be easily upgraded to monitor your patients' two most important gases: oxygen and carbon dioxide.

Plug in modules give users the ability to monitor SpO₂ using Masimo® sensors, or etCO₂ using the Oridion Microstream™ system.

Both systems feature displays of digital values and waveforms and allow the user to store and retrieve up to 14 days of trend data. Simultaneous trends of ventilator parameters allow for easy correlation of 'cause and effect' and give far more meaning to the data.



[Watch the HFOV video](#)



[Go to the HFOV web page](#)



[Watch the SpO₂ video](#)



[See the SpO₂ brochure](#) / [See the etCO₂ brochure](#)



[Go to the SpO₂ web page](#) / [See the etCO₂ web page](#)

SIMV, etCO₂ and IntelliBridge

OxyGenie and SpO₂



OxyGenie®: Decreasing workloads

With their high workload medical staff caring for preterm infants often face, an automatic O₂ system that can help reduce the time spent adjusting the ventilator and allowing staff to spend more time caring for the patient becomes invaluable.

The introduction of OxyGenie®, a reliable, accurate controller for oxygen can give a reduction in manual interventions resulting in an improvement in efficiency of care ^[10].



[See the OxyGenie brochure](#)

[Go to the OxyGenie web page](#)

Versatile System

The SLE6000 gives you everything in a single configurable system that a customer would need from a conventional ventilator plus the options of SpO₂, OxyGenie®, CO₂, HFOV, VTV and more...

Using a single circuit increases the versatility, and gives major time and cost benefits - just change the circuit layout to single- or dual-limb and change the interface to any of ET tube/CPAP/mask/prongs to support the baby from critical care to NICU to HDU to SCBU.

[Watch the SLE6000 overview video](#)

[Go to SLE6000 web page](#)

References

1: Harcourt ER, John J, Dargaville PA, Zannin E, Davis PG, Tingay DG.

Pressure and flow waveform characteristics of eight high-frequency oscillators

Pediatr Crit Care Med. 2014 Jun;15(5):e234-40

2: Grazioli S, Karam O, Rimensberger PC.

New generation neonatal high frequency ventilators: effect of oscillatory frequency and working principles on performance

Respir Care. 2015 Mar;60(3):363-70. doi: 10.4187/respcare.03048. Epub 2014 Nov 18

3: Peng WS, Zhu HW, Shi H, et al.

Volume-targeted ventilation is more suitable than pressure-limited ventilation for preterm infants: a systematic review and meta-analysis

Arch Dis Child Fetal Neonatal Ed 2014;99: F158-F165.

4: Thomas T. Lai, MD, Cynthia F. Bearer, MD, PhD.

Iatrogenic Environmental Hazards in the Neonatal Intensive Care Unit

Clin Perinatol 35 (2008) 163-181

5: Saugstad OD, Aune D.

Optimal oxygenation of extremely low birth weight infants: a meta-analysis and systematic review of the oxygen saturation target studies.

Neonatology 2014;105:55-63.

6: Poets CF, Roberts RS, Schmidt B, et al.

Association between intermittent hypoxemia or bradycardia and late death or disability in extremely preterm infants.

JAMA 2015;314:595-603.

7: Plottier GK, Wheeler KI, Ali SKM, Sadeghi Fathabadi O, Jayakar R, Gale TJ, Dargaville PA.

Clinical evaluation of a novel adaptive algorithm for automated control of oxygen therapy in preterm infants on non-invasive respiratory support.

Arch Dis Child Fetal Neonatal Ed 2017; 102: F37-F43.

8: Peter A Dargaville, Omid Sadeghi Fathabadi, Gemma K Plottier, Kathleen Lim, Kevin I Wheeler, Rohan Jayakar, Timothy J Gale

Development and preclinical testing of an adaptive algorithm for automated control of inspired oxygen in the preterm infant

Arch Dis Child Fetal Neonatal Ed 2016;0:F1-F6.

9: Clarke, A., Yeomans, E., Elsayed, K., Medhurst, A., Berger, P., Skuza, E. and Tan, K. (2015)

A randomised crossover trial of clinical algorithm for oxygen saturation targeting in preterm infants with frequent desaturation episodes.

Neonatology, 107 (2), 130-136.

10: David W Sink, Shelly Ann E Hope, James I Hagadorn

Nurse:patient ratio and achievement of oxygen saturation goals in premature infants

Arch Dis Child Fetal Neonatal Ed 2011;96:F93-F98.

doi:10.1136/adc.2009.178616

Support materials

Brochures, videos and other support materials such as clinical and technical information are available at: www.sle.co.uk or click any of the links below:



Weblinks

[SLE Home Page](#)

[SLE6000](#)

[SLE5000](#)

[SLE4000](#)

[OxyGenie](#)

[Partner Net](#) (for distributors only)

[HFOV](#)

[SpO₂](#)

[etCO₂](#)



Videos

[The SLE6000: An Overview](#)

[The SLE6000: The Lunar Interface](#)

[The SLE6000: The Valveless System](#)

[High Frequency Oscillation Ventilation](#)

[SpO₂ monitoring and accessories](#)

[Synchronised Intermittent Mandatory Ventilation](#)

[Non-invasive Ventilation and accessories](#)



Brochures (PDF)

[SLE5000](#)

[SLE4000](#)

[Patient Circuit Arm](#)

[Patient Circuits](#)

[SpO₂](#)

[etCO₂](#)

[OxyGenie](#)



Media



+44 (0)20 8681 1414



+44 (0)20 8649 8570



sales@sle.co.uk



www.sle.co.uk

SLE Limited
Twin Bridges Business Park
232 Selsdon Road
South Croydon
Surrey
CR2 6PL
UK



When the smallest thing matters